

Daily Statistics for PSU Interface - SEB in Norway

Day	Uptime (%)	Downtime (%)	AISP response (milliseconds)	PISP response (milliseconds)	CBPIL response (milliseconds)	Error response rate (%)
06.01.2020	99,5	0,5	1300	4200	N/A	0,13
05.01.2020	99,5	0,5	1300	4200	N/A	0,13
04.01.2020	99,5	0,5	1300	4200	N/A	0,13
03.01.2020	99,5	0,5	1300	4200	N/A	0,13
02.01.2020	99,5	0,5	1300	4200	N/A	0,13
01.01.2020	99,5	0,5	1300	4200	N/A	0,13
31.12.2019	99,5	0,5	1300	4200	N/A	0,13
30.12.2019	99,5	0,5	1300	4200	N/A	0,13
29.12.2019	99,5	0,5	1300	4200	N/A	0,13
28.12.2019	99,5	0,5	1300	4200	N/A	0,13
27.12.2019	99,5	0,5	1300	4200	N/A	0,13
26.12.2019	99,5	0,5	1300	4200	N/A	0,13
25.12.2019	99,5	0,5	1300	4200	N/A	0,13
24.12.2019	99,5	0,5	1300	4200	N/A	0,13
23.12.2019	99,5	0,5	1300	4200	N/A	0,13
22.12.2019	99,5	0,5	1300	4200	N/A	0,13
21.12.2019	99,5	0,5	1300	4200	N/A	0,13
20.12.2019	99,5	0,5	1300	4200	N/A	0,13
19.12.2019	99,5	0,5	1300	4200	N/A	0,13
18.12.2019	99,5	0,5	1300	4200	N/A	0,13
17.12.2019	99,5	0,5	1300	4200	N/A	0,13
16.12.2019	99,5	0,5	1300	4200	N/A	0,13
15.12.2019	99,5	0,5	1300	4200	N/A	0,13
14.12.2019	99,5	0,5	1300	4200	N/A	0,13
13.12.2019	99,5	0,5	1300	4200	N/A	0,13
12.12.2019	99,5	0,5	1300	4200	N/A	0,13
11.12.2019	99,5	0,5	1300	4200	N/A	0,13
10.12.2019	99,5	0,5	1300	4200	N/A	0,13
09.12.2019	99,5	0,5	1300	4200	N/A	0,13
08.12.2019	99,5	0,5	1300	4200	N/A	0,13
07.12.2019	99,5	0,5	1300	4200	N/A	0,13
06.12.2019	99,5	0,5	1300	4200	N/A	0,13
05.12.2019	99,5	0,5	1300	4200	N/A	0,13
04.12.2019	99,5	0,5	1300	4200	N/A	0,13
03.12.2019	99,5	0,5	1300	4200	N/A	0,13
02.12.2019	99,5	0,5	1300	4200	N/A	0,13
01.12.2019	99,5	0,5	1300	4200	N/A	0,13
30.11.2019	99,5	0,5	1300	4200	N/A	0,13

Daily Statistics for PSU Interface - SEB in Norway

Day	Uptime (%)	Downtime (%)	AISP response (milliseconds)	PISP response (milliseconds)	CBPIL response (milliseconds)	Error response rate (%)
29.11.2019	99,5	0,5	1300	4200	N/A	0,13
28.11.2019	99,5	0,5	1300	4200	N/A	0,13
27.11.2019	99,5	0,5	1300	4200	N/A	0,13
26.11.2019	99,5	0,5	1300	4200	N/A	0,13
25.11.2019	99,5	0,5	1300	4200	N/A	0,13
24.11.2019	99,5	0,5	1300	4200	N/A	0,13
23.11.2019	99,5	0,5	1300	4200	N/A	0,13
22.11.2019	99,5	0,5	1300	4200	N/A	0,13
21.11.2019	99,5	0,5	1300	4200	N/A	0,13
20.11.2019	99,5	0,5	1300	4200	N/A	0,13
19.11.2019	99,5	0,5	1300	4200	N/A	0,13
18.11.2019	99,5	0,5	1300	4200	N/A	0,13
17.11.2019	99,5	0,5	1300	4200	N/A	0,13
16.11.2019	99,5	0,5	1300	4200	N/A	0,13
15.11.2019	99,5	0,5	1300	4200	N/A	0,13
14.11.2019	99,5	0,5	1300	4200	N/A	0,13
13.11.2019	99,5	0,5	1300	4200	N/A	0,13
12.11.2019	99,5	0,5	1300	4200	N/A	0,13
11.11.2019	99,5	0,5	1300	4200	N/A	0,13
10.11.2019	99,5	0,5	1300	4200	N/A	0,13
09.11.2019	99,5	0,5	1300	4200	N/A	0,13
08.11.2019	99,5	0,5	1300	4200	N/A	0,13
07.11.2019	99,5	0,5	1300	4200	N/A	0,13
06.11.2019	99,5	0,5	1300	4200	N/A	0,13
05.11.2019	99,5	0,5	1300	4200	N/A	0,13
04.11.2019	99,5	0,5	1300	4200	N/A	0,13
03.11.2019	99,5	0,5	1300	4200	N/A	0,13
02.11.2019	99,5	0,5	1300	4200	N/A	0,13
01.11.2019	99,5	0,5	1300	4200	N/A	0,13
31.10.2019	99,5	0,5	1300	4200	N/A	0,13
30.10.2019	99,5	0,5	1300	4200	N/A	0,13
29.10.2019	99,5	0,5	1300	4200	N/A	0,13
28.10.2019	99,5	0,5	1300	4200	N/A	0,13
27.10.2019	99,5	0,5	1300	4200	N/A	0,13
26.10.2019	99,5	0,5	1300	4200	N/A	0,13
25.10.2019	99,5	0,5	1300	4200	N/A	0,13
24.10.2019	99,5	0,5	1300	4200	N/A	0,13
23.10.2019	99,5	0,5	1300	4200	N/A	0,13

Daily Statistics for PSU Interface - SEB in Norway

Day	Uptime (%)	Downtime (%)	AISP response (milliseconds)	PISP response (milliseconds)	CBPIL response (milliseconds)	Error response rate (%)
22.10.2019	99,5	0,5	1300	4200	N/A	0,13
21.10.2019	99,5	0,5	1300	4200	N/A	0,13
20.10.2019	99,5	0,5	1300	4200	N/A	0,13
19.10.2019	99,5	0,5	1300	4200	N/A	0,13
18.10.2019	99,5	0,5	1300	4200	N/A	0,13
17.10.2019	99,5	0,5	1300	4200	N/A	0,13
16.10.2019	99,5	0,5	1300	4200	N/A	0,13
15.10.2019	99,5	0,5	1300	4200	N/A	0,13
14.10.2019	99,5	0,5	1300	4200	N/A	0,13
13.10.2019	99,5	0,5	1300	4200	N/A	0,13
12.10.2019	99,5	0,5	1300	4200	N/A	0,13
11.10.2019	99,5	0,5	1300	4200	N/A	0,13
10.10.2019	99,5	0,5	1300	4200	N/A	0,13
09.10.2019	99,5	0,5	1300	4200	N/A	0,13
08.10.2019	99,5	0,5	1300	4200	N/A	0,13
07.10.2019	99,5	0,5	1300	4200	N/A	0,13
06.10.2019	99,5	0,5	1300	4200	N/A	0,13
05.10.2019	99,5	0,5	1300	4200	N/A	1,13
04.10.2019	99,5	0,5	1300	4200	N/A	2,13
03.10.2019	99,5	0,5	1300	4200	N/A	3,13
02.10.2019	99,5	0,5	1300	4200	N/A	4,13
01.10.2019	99,5	0,5	1300	4200	N/A	5,13
30.09.2019	99,5	0,5	1300	4200	N/A	6,13
29.09.2019	99,5	0,5	1300	4200	N/A	7,13
28.09.2019	99,5	0,5	1300	4200	N/A	8,13
27.09.2019	99,5	0,5	1300	4200	N/A	9,13
26.09.2019	99,5	0,5	1300	4200	N/A	10,13
25.09.2019	99,5	0,5	1300	4200	N/A	11,13
24.09.2019	99,5	0,5	1300	4200	N/A	12,13
23.09.2019	99,5	0,5	1300	4200	N/A	13,13
22.09.2019	99,5	0,5	1300	4200	N/A	14,13
21.09.2019	99,5	0,5	1300	4200	N/A	15,13
20.09.2019	99,5	0,5	1300	4200	N/A	16,13
19.09.2019	99,5	0,5	1300	4200	N/A	17,13
18.09.2019	99,5	0,5	1300	4200	N/A	18,13
17.09.2019	99,5	0,5	1300	4200	N/A	19,13
16.09.2019	99,5	0,5	1300	4200	N/A	20,13
15.09.2019	99,5	0,5	1300	4200	N/A	21,13

Daily Statistics for Dedicated Interface - SEB in Norway

Day	Uptime (%)	Downtime (%)	AISP response (milliseconds)	PISP response (milliseconds)	CBP11 response (milliseconds)	Error response rate (%)
06.01.2020	100	0	N/A	N/A	N/A	N/A
05.01.2020	100	0	N/A	N/A	N/A	N/A
04.01.2020	100	0	N/A	N/A	N/A	N/A
03.01.2020	100	0	N/A	N/A	N/A	N/A
02.01.2020	100	0	N/A	N/A	N/A	N/A
01.01.2020	100	0	N/A	N/A	N/A	N/A
31.12.2019	100	0	N/A	N/A	N/A	N/A
30.12.2019	100	0	N/A	N/A	N/A	N/A
29.12.2019	100	0	N/A	N/A	N/A	N/A
28.12.2019	100	0	N/A	N/A	N/A	N/A
27.12.2019	100	0	N/A	N/A	N/A	N/A
26.12.2019	100	0	N/A	N/A	N/A	N/A
25.12.2019	100	0	N/A	N/A	N/A	N/A
24.12.2019	100	0	N/A	N/A	N/A	N/A
23.12.2019	100	0	N/A	N/A	N/A	N/A
22.12.2019	100	0	N/A	N/A	N/A	N/A
21.12.2019	100	0	N/A	N/A	N/A	N/A
20.12.2019	100	0	N/A	N/A	N/A	N/A
19.12.2019	100	0	N/A	N/A	N/A	N/A
18.12.2019	100	0	N/A	N/A	N/A	N/A
17.12.2019	100	0	N/A	N/A	N/A	N/A
16.12.2019	100	0	N/A	N/A	N/A	N/A
15.12.2019	100	0	N/A	N/A	N/A	N/A
14.12.2019	100	0	N/A	N/A	N/A	N/A
13.12.2019	100	0	N/A	N/A	N/A	N/A
12.12.2019	100	0	N/A	N/A	N/A	N/A
11.12.2019	100	0	N/A	N/A	N/A	N/A
10.12.2019	100	0	N/A	N/A	N/A	N/A
09.12.2019	100	0	N/A	N/A	N/A	N/A
08.12.2019	100	0	N/A	N/A	N/A	N/A
07.12.2019	100	0	N/A	N/A	N/A	N/A
06.12.2019	100	0	N/A	N/A	N/A	N/A
05.12.2019	100	0	N/A	N/A	N/A	N/A
04.12.2019	100	0	N/A	N/A	N/A	N/A
03.12.2019	100	0	N/A	N/A	N/A	N/A
02.12.2019	100	0	N/A	N/A	N/A	N/A
01.12.2019	100	0	N/A	N/A	N/A	N/A
30.11.2019	100	0	N/A	N/A	N/A	N/A

Daily Statistics for Dedicated Interface - SEB in Norway

Day	Uptime (%)	Downtime (%)	AISP response (milliseconds)	PISP response (milliseconds)	CBPIL response (milliseconds)	Error response rate (%)
29.11.2019	100	0	N/A	N/A	N/A	N/A
28.11.2019	100	0	N/A	N/A	N/A	N/A
27.11.2019	100	0	N/A	N/A	N/A	N/A
26.11.2019	100	0	N/A	N/A	N/A	N/A
25.11.2019	100	0	N/A	N/A	N/A	N/A
24.11.2019	100	0	N/A	N/A	N/A	N/A
23.11.2019	100	0	N/A	N/A	N/A	N/A
22.11.2019	100	0	N/A	N/A	N/A	N/A
21.11.2019	100	0	N/A	N/A	N/A	N/A
20.11.2019	100	0	N/A	N/A	N/A	N/A
19.11.2019	100	0	N/A	N/A	N/A	N/A
18.11.2019	100	0	N/A	N/A	N/A	N/A
17.11.2019	100	0	N/A	N/A	N/A	N/A
16.11.2019	100	0	N/A	N/A	N/A	N/A
15.11.2019	100	0	N/A	N/A	N/A	N/A
14.11.2019	100	0	N/A	N/A	N/A	N/A
13.11.2019	100	0	N/A	N/A	N/A	N/A
12.11.2019	100	0	N/A	N/A	N/A	N/A
11.11.2019	100	0	N/A	N/A	N/A	N/A
10.11.2019	100	0	N/A	N/A	N/A	N/A
09.11.2019	100	0	N/A	N/A	N/A	N/A
08.11.2019	100	0	N/A	N/A	N/A	N/A
07.11.2019	100	0	N/A	N/A	N/A	N/A
06.11.2019	100	0	N/A	N/A	N/A	N/A
05.11.2019	100	0	N/A	N/A	N/A	N/A
04.11.2019	100	0	N/A	N/A	N/A	N/A
03.11.2019	100	0	N/A	N/A	N/A	N/A
02.11.2019	100	0	N/A	N/A	N/A	N/A
01.11.2019	100	0	N/A	N/A	N/A	N/A
31.10.2019	100	0	N/A	N/A	N/A	N/A
30.10.2019	100	0	N/A	N/A	N/A	N/A
29.10.2019	100	0	N/A	N/A	N/A	N/A
28.10.2019	100	0	N/A	N/A	N/A	N/A
27.10.2019	100	0	N/A	N/A	N/A	N/A
26.10.2019	100	0	N/A	N/A	N/A	N/A
25.10.2019	100	0	N/A	N/A	N/A	N/A
24.10.2019	100	0	N/A	N/A	N/A	N/A
23.10.2019	100	0	N/A	N/A	N/A	N/A

Daily Statistics for Dedicated Interface - SEB in Norway

Day	Uptime (%)	Downtime (%)	AISP response (milliseconds)	PISP response (milliseconds)	CBP11 response (milliseconds)	Error response rate (%)
22.10.2019	100	0	N/A	N/A	N/A	N/A
21.10.2019	100	0	N/A	N/A	N/A	N/A
20.10.2019	100	0	N/A	N/A	N/A	N/A
19.10.2019	100	0	N/A	N/A	N/A	N/A
18.10.2019	100	0	N/A	N/A	N/A	N/A
17.10.2019	100	0	N/A	N/A	N/A	N/A
16.10.2019	100	0	N/A	N/A	N/A	N/A
15.10.2019	100	0	N/A	N/A	N/A	N/A
14.10.2019	100	0	N/A	N/A	N/A	N/A
13.10.2019	100	0	N/A	N/A	N/A	N/A
12.10.2019	100	0	N/A	N/A	N/A	N/A
11.10.2019	100	0	N/A	N/A	N/A	N/A
10.10.2019	100	0	N/A	N/A	N/A	N/A
09.10.2019	100	0	N/A	N/A	N/A	N/A
08.10.2019	100	0	N/A	N/A	N/A	N/A
07.10.2019	100	0	N/A	N/A	N/A	N/A
06.10.2019	100	0	N/A	N/A	N/A	N/A
05.10.2019	100	0	N/A	N/A	N/A	N/A
04.10.2019	100	0	N/A	N/A	N/A	N/A
03.10.2019	100	0	N/A	N/A	N/A	N/A
02.10.2019	100	0	N/A	N/A	N/A	N/A
01.10.2019	100	0	N/A	N/A	N/A	N/A
30.09.2019	100	0	N/A	N/A	N/A	N/A
29.09.2019	100	0	N/A	N/A	N/A	N/A
28.09.2019	100	0	N/A	N/A	N/A	N/A
27.09.2019	100	0	N/A	N/A	N/A	N/A
26.09.2019	100	0	N/A	N/A	N/A	N/A
25.09.2019	100	0	N/A	N/A	N/A	N/A
24.09.2019	100	0	N/A	N/A	N/A	N/A
23.09.2019	100	0	N/A	N/A	N/A	N/A
22.09.2019	100	0	N/A	N/A	N/A	N/A
21.09.2019	100	0	N/A	N/A	N/A	N/A
20.09.2019	100	0	N/A	N/A	N/A	N/A
19.09.2019	100	0	N/A	N/A	N/A	N/A
18.09.2019	100	0	N/A	N/A	N/A	N/A
17.09.2019	100	0	N/A	N/A	N/A	N/A
16.09.2019	100	0	N/A	N/A	N/A	N/A
15.09.2019	100	0	N/A	N/A	N/A	N/A